

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Wed, 13 Dec 2006, 6:44:15 AM EST

Search Query Display

[Run Search](#) [Reset](#)

Recent Search Queries

Results

#1	(track format information<in>metadata)	0
#2	(format information<in>metadata)	15
#3	(track format data<in>metadata)	0
#4	(track format<in>metadata)	2
#5	(slouffer c<in>au)	0
#6	(slouffer c.<in>au)	2

[Clear Session History](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	145	714/770.ccls.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	AND	ON	2006/12/13 06:21
L3	75	"track format information"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	AND	ON	2006/12/13 06:21
L4	44	RAID AND "track format" AND error	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	AND	ON	2006/12/13 06:22

EAST Search History

L5	35	"data storage" AND "track format" AND error AND raid	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	AND	ON	2006/12/13 06:22
S1	74	"track format information"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	AND	ON	2006/07/05 07:27
S2	1	"20050138526".did.	US-PGP UB	AND	ON	2006/07/05 08:03
S3	133	714/770.ccls.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	AND	ON	2006/07/05 09:48

EAST Search History

S4	41	RAID AND "track format" AND error	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	AND	ON	2006/07/05 09:50
S5	32	"data storage" AND "track format" AND error AND raid	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	AND	ON	2006/07/05 13:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1	("track format information" AND (restage ADJ data)). clm.	US-PGP UB	AND	ON	2006/12/13 06:54

Interference Search